

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



serve  
3479  
4P

# POULTRY

Slaughtered Under Federal Inspection, Sept. 1970  
Used in Further Processing  
September 1970

U.S. DEPT. OF AGRICULTURE  
NATIONAL AGRICULTURAL LIBRARY

DEC 18 1970

CURRENT SERIAL RECORDS

Release:  
October 28, 1970  
3:00 P.M. EST

Inspected Poultry - There were 1,244 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during September under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 4 percent more than the previous month and 8 percent more than September 1969.

The number of head and pounds live weight inspected by classes were: young chickens--237,078,000 head, 858,985,000 pounds; mature chickens--14,107,000 head, 66,378,000 pounds; fryer-roaster turkeys--938,000 head, 8,417,000 pounds; young turkeys--15,046,000 head, 300,946,000 pounds; old turkeys--50,000 head, 890,000 pounds; ducks--1,276,000 head, 7,994,000 pounds.

Poultry Certified As Wholesome in September totaled 906,365,000 pounds ready-to-cook weight of which 621,904,000 pounds were chilled and 284,461,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 613,476,000; mature chickens, 42,488,000; fryer-roaster turkeys, 6,469,000; young turkeys, 237,376,000; old turkeys, 709,000; ducks, 5,625,000 and other poultry, 222,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 121,757,000 pounds ready-to-cook weight, compared with 111,201,000 pounds in September 1969. The September total consisted of 28,957,000 pounds young chickens, 34,139,000 pounds mature chickens, 53,208,000 pounds of turkeys and 5,453,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 188,424,000 pounds ready-to-cook weight, compared with 159,779,000 pounds in September 1969. The breakdown by classes was: young chickens, 164,654,000 pounds; mature chickens, 587,000 pounds; turkeys, 23,081,000 pounds; and other poultry, 102,000 pounds.

Ante-Mortem Condemnations during September were 6,261,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.58 percent; mature chickens, 0.90 percent; fryer-roaster turkeys, 0.24 percent; young turkeys, 0.20 percent; old turkeys, 0.28 percent; and ducks, 0.09 percent.

Post-Mortem Condemnations in September were 38,228,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.50 percent; mature chickens, 5.91 percent; fryer-roaster turkeys, 2.14 percent; young turkeys, 2.77 percent; old turkeys, 3.11 percent; and ducks, 2.05 percent.

---

UNITED STATES DEPARTMENT OF AGRICULTURE  
Statistical Reporting Service  
Pou 2-1 (10-70)

Crop Reporting Board  
Washington, D. C. 20250



## POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, SEPTEMBER 1970 WITH COMPARISONS

NUMBER INSPECTED 3/ MONTH	: YOUNG : MATURE : TOTAL : FRYER- : YOUNG : OLD : TOTAL : DUCKS : OTHER : TOTAL									
	: CHICKENS	: CHICKENS	: CHICKENS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: POULTRY
AUGUST 1970	240,771	14,144	254,915	856	13,557	81	14,494	1,293	---	---
SEPTEMBER 1969	218,945	12,812	231,757	632	14,062	58	14,752	1,233	---	---
SEPTEMBER 1970	237,078	14,107	251,185	938	15,046	50	16,034	1,276	---	---
JAN.-SEPT. 1969	1,897,453	117,182	2,014,635	6,674	48,205	1,188	56,067	8,809	---	---
JAN.-SEPT. 1970	2,126,020	128,888	2,254,917	7,808	54,851	960	63,619	9,124	---	---
PRIMPS INSPECTED 4/										
AUGUST 1970	856,341	65,899	922,240	7,667	257,968	1,415	267,050	7,874	330	1,197,494
SEPTEMBER 1969	804,101	60,176	864,277	5,668	277,709	732	284,109	7,635	260	1,156,281
SEPTEMBER 1970	858,085	66,378	925,363	8,417	300,946	890	310,253	7,994	391	1,244,901
JAN.-SEPT. 1969	4,761,722	533,572	7,330,294	61,296	909,910	22,720	993,926	54,547	2,274	8,381,041
JAN.-SEPT. 1970	7,668,446	596,793	8,265,239	71,385	1,044,541	18,631	1,134,557	56,894	2,322	9,459,012
AVERAGE LIVEWEIGHTS 5/										
AUGUST 1970	3.56	4.66	3.62	8.95	19.03	17.41	18.42	6.09	---	---
SEPTEMBER 1969	3.67	4.70	3.73	8.96	19.75	12.60	19.26	6.19	---	---
SEPTEMBER 1970	3.62	4.71	3.68	8.98	20.00	17.76	19.35	6.27	---	---
JAN.-SEPT. 1969	3.58	4.60	3.64	9.18	19.88	19.12	17.73	6.19	---	---
JAN.-SEPT. 1970	3.61	4.63	3.67	9.14	19.04	19.41	17.83	6.24	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

AUGUST 1970. 3,212: SEPTEMBER 1969. 2,483: AND SEPTEMBER 1970. 3,166.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG Banded BREEDERS WAS:

AUGUST 1970. 95: SEPTEMBER 1969. 33: AND SEPTEMBER 1970. 64.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

## POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), SEPTEMBER 1970 WITH COMPARISONS 1/

MONTH	: YOUNG : MATURE : TOTAL : FRYER- : YOUNG : OLD : TOTAL : DUCKS : OTHER : TOTAL									
	: CHICKENS	: CHICKENS	: CHICKENS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: POULTRY
AUGUST 1970	551,858	30,918	582,776	957	31,890	114	32,961	199	36	615,972
SEPTEMBER 1969	59,624	11,278	70,902	4,940	173,048	1,003	178,991	5,381	142	255,416
SEPTEMBER 1970	611,482	42,196	653,678	5,897	204,938	1,117	211,952	5,580	178	871,388
CHILLED										
SEPTEMBER 1969	518,524	30,169	548,693	680	40,055	234	40,969	282	35	589,979
SEPTEMBER 1970	59,487	8,421	67,908	3,720	180,730	347	184,797	5,164	109	257,978
SEPTEMBER 1970	578,011	38,590	616,601	4,400	223,785	581	225,766	5,446	144	847,957
FROZEN										
SEPTEMBER 1969	552,261	32,557	584,818	1,033	35,678	160	36,871	171	44	621,904
SEPTEMBER 1970	61,215	9,931	71,146	5,436	201,698	549	207,683	5,454	178	284,461
SEPTEMBER 1970	613,476	42,488	655,964	6,469	237,376	709	244,554	5,625	222	906,365
JANUARY-SEPTEMBER 1969										
CHILLED	4,379,485	261,925	4,641,410	12,707	125,167	4,699	142,573	2,430	132	4,786,545
FROZEN	479,671	81,949	561,620	34,803	594,595	13,261	646,659	36,210	1,099	1,245,588
TOTAL	4,859,156	343,874	5,203,030	47,510	723,762	17,960	789,232	38,640	1,231	6,032,133
JANUARY-SEPTEMBER 1970										
CHILLED	4,908,860	285,405	5,194,265	12,445	142,553	3,480	158,478	1,727	218	5,354,688
FROZEN	544,522	55,299	639,821	42,764	682,965	11,271	737,000	38,631	1,043	1,416,495
TOTAL	5,453,382	340,704	5,834,086	55,209	825,518	14,751	895,478	40,358	1,261	6,771,183

1/ 1,000 POUNDS

## POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, SEPTEMBER 1970 WITH COMPARISONS 3/

	: YOUNG :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: MATURE :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
ANTE-MORTEM														
1,000 POUNDS (LIVWEIGHT):														
SEPTEMBER 1969:	3,017	410	3,427	14	606		1	621		6	---	4,054		
SEPTEMBER 1970:	5,002	601	5,603	21	625		3	649		8	1	6,261		
JAN.-SEPT. 1969:	27,668	4,410	31,478	137	2,082		82	2,301		20	7	33,806		
JAN.-SEPT. 1970:	37,567	5,532	43,099	162	2,481		66	2,709		60	10	45,878		
PERCENT 1/														
SEPTEMBER 1969:	.37	.68	.39	.24	.21		.14	.21		.07	.21	.35		
SEPTEMBER 1970:	.58	.90	.60	.24	.20		.28	.20		.09	.47	.50		
POST-MORTEM														
1,000 LBS. (N.Y. DRESSED):														
SEPTEMBER 1969:	21,390	3,006	24,396	112	6,415		15	6,546		109	3	31,053		
SEPTEMBER 1970:	26,692	3,459	30,401	162	7,490		25	7,677		148	4	38,228		
JAN.-SEPT. 1969:	215,342	25,656	240,998	1,146	19,365		763	21,274		756	23	263,051		
JAN.-SEPT. 1970:	272,245	30,310	302,555	1,257	25,266		632	27,155		920	22	330,652		
PERCENT 2/														
SEPTEMBER 1969:	2.96	5.59	3.15	2.19	2.57		2.34	2.56		1.58	1.18	2.99		
SEPTEMBER 1970:	3.50	5.91	3.67	2.14	2.77		3.11	2.75		2.05	1.03	3.43		

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ CASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

## POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, SEPTEMBER 1970 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :
POUNDS USED READY-TO-COOK WEIGHT 2/	: PROCESSED :	: CUT UP :	: PROCESSED :	: CUT UP :	: PROCESSED :	: CUT UP :	: PROCESSED :	: CUT UP :	: PROCESSED :	: CUT UP :
AUGUST 1970:	26,823	157,682	31,796	529	48,785	23,957	4,803	55	112,207	170,122
SEPTEMBER 1969:	25,200	142,515	28,584	555	51,582	16,361	5,915	348	111,201	159,779
SEPTEMBER 1970:	28,957	164,654	34,130	587	53,238	23,081	5,453	102	121,757	186,424
JANUARY-SEPTEMBER 1969:	196,256	1,218,944	286,969	5,702	337,831	113,484	59,444	3,892	880,500	1,341,822
JANUARY-SEPTEMBER 1970:	252,750	1,366,853	280,592	6,434	329,334	128,655	62,236	1,261	924,912	1,503,203
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
AUGUST 1970:	274	1,101	122	64	49	370	28	16	473	1,551
SEPTEMBER 1969:	144	941	32	19	136	11	31	1	409	972
SEPTEMBER 1970:	371	1,385	47	60	33	315	18	15	469	1,475
JANUARY-SEPTEMBER 1969:	1,174	8,245	345	50	532	75	292	7	2,343	8,377
JANUARY-SEPTEMBER 1970:	2,215	8,997	616	267	1,344	2,029	245	72	4,420	11,365

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

2/ 1,000 POUNDS.



## YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
		INSPECTED (LIVEWEIGHT)		LIVEWEIGHT INSPECTED/100 (READY-TO-COOK WT.)							
		1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,455	54,911	57,290	4.08	4.13	39,514	41,091	2,027	1,886	4.11	3.68
F. N. CENTRAL	2,537	10,070	9,790	3.97	3.80	7,397	7,221	226	246	2.50	2.80
W. N. CENTRAL	5,136	19,480	24,572	3.79	3.70	13,963	17,551	513	719	2.93	3.26
S. ATLANTIC	93,543	344,313	359,487	3.68	3.67	247,334	256,129	9,340	11,841	3.02	3.68
S. CENTRAL	69,503	357,742	386,000	3.60	3.51	257,353	276,124	8,758	11,568	2.73	3.35
WEST	4,771	17,585	21,846	3.69	3.65	12,450	15,360	526	642	3.33	3.28
U. S.	218,945	804,101	859,985	3.67	3.62	578,011	613,476	21,390	26,902	2.96	3.50
MAINE	5,941	24,224	24,955	4.08	4.21	17,748	18,288	836	656	3.85	2.93
PENNSYLVANIA	6,756	27,488	28,586	4.07	4.04	19,487	20,246	1,075	1,074	4.36	4.21
INDIANA	1,173	4,426	4,449	3.77	3.52	3,257	3,293	78	120	1.96	3.01
WISCONSIN	1,335	5,470	5,168	4.10	4.03	4,011	3,805	143	120	2.91	2.58
MINNESOTA	803	3,396	3,684	4.23	4.40	2,573	2,783	51	53	1.68	1.61
MISSOURI	4,263	15,463	17,851	3.63	3.54	10,935	12,630	439	555	3.15	3.47
DELAWARE	7,934	31,510	29,725	3.97	3.99	22,445	21,030	933	912	3.30	3.43
MARYLAND	12,848	53,373	55,328	3.85	3.85	38,508	39,700	1,395	1,710	2.91	3.45
VIRGINIA	7,370	25,446	26,134	3.45	3.52	17,590	18,006	596	693	2.60	2.95
NORTH CAROLINA	24,597	92,247	98,229	3.75	3.74	66,149	70,119	2,402	2,706	2.90	3.08
SOUTH CAROLINA	2,625	10,213	12,003	3.49	3.72	7,098	8,184	342	520	3.74	4.85
GEORGIA	33,429	119,697	121,609	3.58	3.51	86,817	87,367	3,429	4,833	3.19	4.45
TENNESSEE	4,377	15,976	20,894	3.65	3.44	11,700	15,089	391	706	2.73	3.78
ALABAMA	25,342	92,059	99,313	3.63	3.51	66,229	70,697	2,535	3,924	3.07	4.41
MISSISSIPPI	16,240	58,724	66,725	3.62	3.57	42,659	48,665	993	1,563	1.88	2.62
ARKANSAS	31,493	110,656	108,511	3.51	3.44	78,695	76,856	2,926	2,908	2.94	2.99
LOUISIANA	4,852	18,312	17,513	3.77	3.62	13,367	12,563	399	445	2.43	2.84
TEXAS	14,275	51,378	57,382	3.60	3.57	37,130	41,204	1,209	1,662	2.63	3.24
WASHINGTON	1,074	4,196	4,815	3.91	3.86	2,929	3,355	103	168	2.72	3.87
CALIFORNIA	2,676	9,975	10,662	3.73	3.79	7,155	7,700	323	240	3.61	2.51

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1970

REGION AND STATE	THURF- : CULICIS :	LEU- : KOSIS :	SEPT- : CEMIA :	AIRSAC- : CULITIS :	SYND- : VITIS :	TUMORS- : NO. :	BRUISES- : NO. :	CADAVERS- : NO. :	CONTAM- : INATION :	OVER- : SCALD :	OTHER- : NO. :	TOTAL NO.
N. ATLANTIC	---	162,312	111,366	34,804	4,318	1,456	5,093	14,367	30,310	4,663	14,131	382,820
F. N. CENTRAL	---	36,569	16,772	754	742	37	1,759	2,415	4,889	1,091	1,319	66,347
M. N. CENTRAL	---	27,039	37,092	47,851	1,921	745	4,839	10,914	11,927	2,312	6,250	150,890
S. ATLANTIC	---	1,526,045	429,941	266,450	32,579	8,502	50,499	106,555	383,173	34,445	140,176	2,978,365
S. CENTRAL	---	1,241,285	477,675	417,502	90,888	13,221	63,842	103,684	254,872	23,504	122,198	2,808,675
WEST	---	67,062	42,738	33,582	792	67	1,796	6,528	7,595	1,363	15,662	177,185
U. S.	---	3,060,316	1,115,584	800,943	131,240	24,028	127,828	244,463	692,766	67,378	299,736	6,564,282
MAINE	---	44,022	58,260	3,804	2,803	425	1,119	5,399	7,675	741	4,499	128,747
PENNSYLVANIA	---	104,193	40,808	30,369	1,308	715	3,447	7,697	18,862	3,159	7,979	218,537
INDIANA	---	28,625	6,187	359	---	25	909	831	1,548	38	280	38,802
WISCONSIN	---	7,564	10,376	393	742	11	849	1,569	3,264	1,053	1,025	26,846
MINNESOTA	---	2,372	3,790	127	93	65	233	219	1,659	403	2,978	11,939
MISSOURI	---	20,784	26,333	40,271	1,775	408	4,298	7,823	9,210	1,620	2,213	115,235
FLORIDA	---	119,234	29,263	17,418	1,704	239	2,765	13,362	18,294	3,049	7,679	213,007
MARYLAND	---	200,432	71,652	49,966	3,524	927	5,077	16,610	46,145	7,256	5,695	407,284
VIRGINIA	---	92,495	43,527	35,974	724	443	3,163	3,714	5,717	1,758	4,631	192,146
NORTH CAROLINA	---	199,472	106,658	58,962	9,299	3,450	17,819	25,143	123,801	11,609	61,937	618,350
SOUTH CAROLINA	---	65,194	12,070	10,270	1,583	234	2,735	7,787	12,082	479	4,561	116,995
GEORGIA	---	792,365	150,959	84,395	14,333	2,978	17,055	35,629	163,623	10,111	48,175	1,319,623
TENNESSEE	---	99,176	31,581	7,721	1,737	477	2,375	8,198	23,595	2,581	17,912	195,453
ALABAMA	---	809,858	99,604	56,487	7,499	3,468	10,918	25,014	62,454	4,533	20,794	1,100,629
MISSISSIPPI	---	74,491	33,367	89,702	19,490	2,757	8,090	9,817	48,356	3,617	34,230	323,917
ARKANSAS	---	106,768	163,641	188,020	36,098	3,993	16,168	29,358	68,822	5,637	26,378	644,883
LOUISIANA	---	21,521	31,727	11,616	5,492	608	4,601	7,849	7,403	650	2,555	94,022
TEXAS	---	105,233	94,201	49,417	17,891	1,662	17,667	18,813	37,865	5,445	16,081	364,215
WASHINGTON	---	7,107	4,974	7,474	296	23	549	907	1,579	401	9,184	32,494
CALIFORNIA	---	27,459	18,676	11,391	100	34	549	2,097	1,779	553	1,374	64,012



MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
		(LIVEWEIGHT)		: 1969 : 1970 :		: 1969 : 1970 :		: POUNDS (NYD) : PERCENT 2/ :			
		1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	1,593	1,756	8,398	9,138	5.11	5.20	5,272	5,948	377	512	5.21
E. N. CENTRAL	1,506	1,367	6,932	5,980	4.32	4.37	4,305	3,708	270	245	4.37
W. N. CENTRAL	3,587	3,536	15,597	15,804	4.46	4.47	9,964	9,808	992	968	6.93
S. ATLANTIC	2,580	3,514	12,210	16,431	4.73	4.67	7,944	13,746	585	788	5.36
S. CENTRAL	2,173	2,272	11,616	12,347	5.33	5.43	7,790	8,249	498	505	4.80
WEST	1,288	1,662	5,363	6,708	4.16	4.04	3,315	4,029	284	481	5.94
U. S.	12,812	14,107	60,176	66,378	4.70	4.71	38,590	42,488	3,006	3,499	5.59
MAINE	312	383	1,577	2,515	6.33	6.57	1,334	1,726	66	105	3.74
NEW JERSEY	830	953	3,659	4,059	4.41	4.26	2,286	2,437	219	291	6.69
PENNSYLVANIA	80	82	594	577	7.46	7.07	413	400	15	13	2.84
OHIO	---	183	---	742	---	4.06	---	419	---	46	---
INDIANA	551	539	2,225	2,150	4.04	3.99	1,412	1,373	82	67	4.12
MINNESOTA	1,440	1,221	5,565	4,751	3.86	3.89	3,336	2,831	391	331	7.85
MISSOURI	1,087	1,096	6,368	6,495	5.86	5.93	4,234	4,379	306	314	5.41
VIRGINIA	54	115	418	827	7.53	7.19	297	578	13	22	3.47
NORTH CAROLINA	238	153	1,809	1,112	7.52	7.25	1,221	753	59	38	3.00
GEORGIA	1,025	2,556	4,702	11,372	4.59	4.45	3,065	7,464	219	566	3.80
ALABAMA	165	270	898	1,435	5.45	5.31	586	957	47	71	5.58
MISSISSIPPI	1,330	1,245	7,359	6,922	5.56	5.56	4,989	4,654	283	252	5.95
ARKANSAS	73	149	516	1,028	7.10	6.92	362	732	22	42	4.09
LOUISIANA	22	18	159	117	7.16	6.53	114	81	5	5	4.54
TEXAS	536	466	2,378	2,111	4.44	4.53	1,517	1,326	133	110	3.30
WASHINGTON	153	94	646	396	4.23	4.01	409	246	29	23	6.26
CALIFORNIA	1,072	1,483	4,467	5,947	4.17	4.20	2,736	3,549	246	435	4.96

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1970

REGION AND STATE	TURF- :	LEU- :	SEPTI- :	AIRSAC- :	SYNO- :	TUMORS :	BRUISES :	CADAVER :	CONTAM- :	OVER- :	OTHER :	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	3,685	40,297	41	1,652	27,862	2,985	1,839	5,871	562	10,133	94,927
E. N. CENTRAL	677	5,386	22,863	176	43	20,875	2,914	6,207	102	4,526	67,973	67,973
W. N. CENTRAL	16,538	75,370	2,755	2,755	225	89,225	9,150	5,049	11,184	677	27,010	250,447
S. ATLANTIC	72	4,038	71,313	893	651	47,870	6,945	5,731	27,345	907	10,681	176,446
S. CENTRAL	---	12,423	44,079	249	1,139	19,663	5,287	3,350	9,610	696	14,259	111,655
WEST	---	817	41,425	14	177	57,435	4,692	924	6,443	329	17,298	129,554
U. S.	17,687	39,213	296,252	4,128	3,887	262,930	33,258	19,807	66,660	3,273	83,907	831,002
MAINE	---	1,355	6,919	12	1,349	2,268	237	227	1,448	66	682	14,563
NEW JERSEY	---	1,252	26,984	7	96	19,553	1,994	1,264	3,167	369	8,565	63,251
PENNSYLVANIA	---	234	767	7	5	226	43	62	123	---	355	1,822
OHIO	155	2,257	1,699	6	1	1,504	2,323	57	826	25	2,055	11,008
INDIANA	72	1,154	8,590	---	---	10,063	253	595	2,618	3	1,185	24,533
MINNESOTA	7,501	3,227	17,669	1,122	66	43,438	2,259	873	3,487	119	17,341	97,102
MISSOURI	874	3,544	34,194	463	133	12,130	2,768	1,649	2,372	405	5,854	64,386
VIRGINIA	---	266	2,107	18	4	225	75	107	270	10	82	3,164
NORTH CAROLINA	---	500	1,615	251	141	477	107	60	840	9	906	4,906
GEORGIA	---	1,443	56,727	297	320	35,315	3,900	3,585	17,597	504	6,856	126,544
ALABAMA	---	766	7,364	56	337	2,874	232	312	2,634	101	737	15,413
MISSISSIPPI	---	1,633	25,615	5	517	14,367	4,373	1,562	3,641	546	7,187	59,946
ARKANSAS	---	376	2,833	117	114	140	77	178	820	3	177	4,835
LOUISIANA	---	83	463	2	60	24	9	24	42	---	8	723
TEXAS	---	9,246	5,661	31	145	1,447	531	1,211	1,136	45	6,031	25,484
WASHINGTON	---	149	1,008	---	4	414	149	40	542	21	3,339	5,666
CALIFORNIA	---	611	37,546	12	118	55,247	4,405	754	5,201	291	13,775	117,960

## YOUNG TURKEYS (MATURED): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		(LIVEWEIGHT)		INSPECTED/		(READY-TO-COOK WT.)		POUNDS (INVD)				
		1969	1970	1969	1970	1969	1970	1969	1970			
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-				
N. ATLANTIC	292	332	5,891	6,247	20.17	18.82	4,712	4,940	63	95	1.19	1.69
E. N. CENTRAL	1,609	1,897	33,040	38,847	20.53	20.48	26,493	30,755	595	631	2.00	1.80
W. N. CENTRAL	5,019	5,166	97,242	102,168	19.38	19.78	77,794	80,602	2,278	2,789	2.60	3.03
S. ATLANTIC	1,928	2,127	37,580	41,004	19.70	19.28	29,748	31,910	1,102	1,399	3.23	3.80
S. CENTRAL	2,288	2,077	45,639	40,417	19.94	19.46	35,793	31,544	1,318	1,292	3.22	3.56
WEST	2,926	3,447	57,917	72,263	19.80	20.97	46,245	57,625	1,063	1,284	2.04	1.97
U. S.	14,062	15,046	277,709	300,946	19.75	20.00	220,785	237,376	6,419	7,490	2.57	2.77
PENNSYLVANIA	292	330	5,891	6,211	20.18	18.83	4,711	4,913	62	94	1.18	1.67
OHIO	363	457	7,677	9,380	21.17	20.53	6,110	7,482	154	107	2.22	1.27
INDIANA	567	692	11,106	13,763	19.57	19.88	8,936	10,897	186	254	1.85	2.05
WISCONSIN	441	524	8,555	10,473	19.40	20.00	6,886	8,354	137	196	1.77	2.07
MINNESOTA	2,532	2,500	47,706	48,617	18.94	19.44	38,423	38,264	1,048	1,315	2.44	3.00
IOWA	1,095	1,165	21,700	22,915	19.82	19.66	17,209	18,198	474	554	2.43	2.68
MISSOURI	1,066	1,168	21,547	23,612	20.21	20.21	17,187	18,638	610	725	3.15	3.42
VIRGINIA	590	676	11,756	12,742	19.93	18.86	8,971	9,601	386	499	3.65	4.37
NORTH CAROLINA	1,024	1,082	18,829	20,271	18.39	18.74	15,027	16,110	498	663	2.95	3.64
ARKANSAS	1,230	1,046	24,351	20,308	19.80	19.42	19,110	15,921	721	581	3.30	3.18
TEXAS	821	888	15,883	17,284	19.36	19.47	12,397	13,336	524	671	3.68	4.32
COLORADO	354	389	6,912	8,236	19.53	21.15	5,656	6,490	86	136	1.38	1.84
UTAH	521	626	11,491	14,664	22.05	23.43	9,217	11,803	203	191	1.97	1.45
CALIFORNIA	1,701	2,014	32,446	40,579	19.08	20.15	25,851	32,360	665	788	2.28	2.16

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1970

REGION AND STATE	TURF- CULOSIS:	LEU- KOSIS:	SEPTI- CEMIA:	AIRSAC- CULITIS:	SYNO- VITIS:	TUMORS:	BRUISES:	CADAVER:	CONTAM-:		OVER- SCALD:	OTHER:		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	34	1,235	2,115	45	1	26	84	298	3	96			3,937
F. N. CENTRAL	---	134	14,150	8,300	723	21	343	967	1,826	371	152			26,987
W. N. CENTRAL	---	1,985	72,106	45,907	6,179	53	1,160	2,528	7,407	866	1,268			139,459
S. ATLANTIC	---	292	23,454	31,099	2,491	33	800	957	3,447	371	3			66,204
S. CENTRAL	---	139	21,329	20,259	5,999	78	650	1,320	3,853	627	500			54,754
WEST	---	346	27,927	22,242	2,694	91	798	1,302	1,768	337	719			58,224
U. S.	---	2,930	160,201	129,922	18,131	277	3,777	7,158	18,599	2,575	5,995			349,565
PENNSYLVANIA	---													
OHIO	---	8	1,222	2,115	45	1	25	84	296	3	96			3,895
INDIANA	---	26	2,097	1,362	220	1	70	105	151	45	40			4,117
WISCONSIN	---	43	5,714	3,981	---	7	54	593	1,099	74	58			11,618
MINNESOTA	---	40	5,403	1,986	497	14	215	187	531	219	31			9,123
IOWA	---	1,878	39,882	16,554	2,543	30	333	1,192	3,744	257	438			66,851
MISSOURI	---	24	13,331	9,427	1,552	13	395	486	1,452	233	383			27,296
VIRGINIA	---	73	15,375	15,031	1,979	7	356	754	1,671	106	380			35,732
NORTH CAROLINA	---	23	13,678	11,026	77	8	236	304	561	25	96			26,034
ARKANSAS	---	181	6,634	16,385	1,326	23	410	390	2,244	59	2,101			29,802
TEXAS	---	17	7,374	5,996	3,590	5	260	724	2,298	514	64			20,842
COLORADO	---	81	12,691	13,938	2,407	71	384	557	1,440	99	436			32,104
UTAH	---	34	2,082	2,813	415	7	47	196	146	9	29			5,778
CALIFORNIA	---	6	3,264	1,889	586	13	226	205	505	111	329			7,136
	---	175	17,420	15,524	845	59	218	719	932	189	214			36,295

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
		INSPECTED		LIVEWEIGHT		CERTIFIED		POUNDS (NYD)	
		1969	1970	1969	1970	1969	1970	1969	1970
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	5			46	76	35	59	2	1
F. N. CENTRAL	20	43		283	372	218	277	3	6
W. N. CENTRAL	322	495		2,877	4,402	2,302	3,478	46	67
S. ATLANTIC	249	316		2,255	2,900	1,681	2,146	57	70
S. CENTRAL	10	10		78	96	62	73	1	1
WEST	17	65		129	571	102	436	3	17
U. S.	632	938		5,668	8,417	4,400	6,469	112	162
MINNESOTA	312	474		2,781	4,197	2,224	3,324	45	59
VIRGINIA	199	256		1,778	2,313	1,316	1,691	41	55
CALIFORNIA	---	46		---	429	---	322	---	14
	3/								

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR FURNISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1970

REGION AND STATE	TUMOR- CULOTS:	LEU- KOSTS	SEPTI- CENIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER:	CONTAM-:		OVER- SCALD	OTHER	TOTAL
									NO.	NO.			
N. ATLANTIC	---	1	75	112	---	---	2	---	17	---	---	---	207
F. N. CENTRAL	---	---	427	78	4	1	5	12	38	---	---	---	565
W. N. CENTRAL	---	3	3,497	629	36	---	57	237	1,682	9	---	---	6,321
S. ATLANTIC	---	1	3,869	944	29	1	142	184	471	21	---	---	5,933
S. CENTRAL	---	---	35	46	12	---	2	1	15	1	---	---	119
WEST	---	---	582	860	19	---	47	10	112	2	---	---	1,699
U. S.	---	5	8,485	2,669	100	2	255	444	2,335	33	---	---	14,844
MINNESOTA	---	3	3,295	238	6	---	54	233	1,646	4	---	---	5,650
VIRGINIA	---	---	3,559	677	8	---	94	174	287	18	---	---	4,888
CALIFORNIA	---	---	328	836	15	---	3	6	73	2	---	---	1,266



OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
		INSPECTED		LIVEWEIGHT		CERTIFIED			
		1969	1970	1969	1970	1969	1970	1969	1970
N. ATLANTIC	1	---	---	1.00	---	---	---	---	---
E. N. CENTRAL	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	46	517	419	11.15	16.55	410	11	4	2.62
S. ATLANTIC	5	101	88	19.08	21.35	81	2	5	2.57
S. CENTRAL	---	---	---	---	---	---	---	---	---
WEST	6	114	212	17.73	17.36	90	2	4	2.25
U. S.	58	732	890	12.60	17.76	581	15	25	2.34
MINNESOTA	46	517	419	11.15	16.55	410	11	12	2.29

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1970

REGION AND STATE	TUBER- CULLOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER	CONTAM- INATION	OVER- SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	26	66	60	---	---	---	---	---	---	3	163
W. N. CENTRAL	---	3	307	164	1	3	7	11	65	1	26	588
S. ATLANTIC	---	1	110	72	10	1	6	1	29	---	54	284
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	16	240	14	---	5	4	7	39	---	---	325
U. S.	---	46	723	310	11	9	18	19	140	1	83	1,360
MINNESOTA	---	3	307	164	1	3	7	11	65	1	26	588

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID  
United States Department of Agriculture

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.